

HILIGHT TRIBE – INTERNATIONAL RIDER 2023

ROAD VERSION (TourBus + Trailer – 10 people)

- Updated May 01 / Supersedes any previous version -

This rider is part of the contract. It should be returned and signed with the contract. Failure brought to its application invalidates the contract.

All the detail in this rider may seem restrictive, however, they ensure a quality show in good conditions. In case of problems with this rider, please contact the production manager.

The promoter agrees to comply strictly and bear all the technical and hospitality conditions requested below. No changes will be without the prior approval of the production manager.

Hilight Tribe is a live music band that requires a concert set up (FOH and MON mixing desks and a light desk).

THANK YOU

Page 1 CONTACT / TOURING PARTY

Page 5 INPUT LIST

Page 2 TOUR REQUIREMENTS

Page 6 STAGE PLOT

Page 3 TECHNICAL SPECIFICATIONS

Page 7 LIGHT REQUIREMENTS

Page 4 SOUND & STAGE REQUIREMENTS

Page 11 HOSPITALITY

ALL REQUIREMENTS ARE TO BE PROVIDED BY THE PROMOTER AT NO COST TO THE BAND

Advance / Preproduction - Yohan Progler yohanprogler@gmail.com +33 6 64 31 73 10

10 people on tour with :

ARTISTIC CREW

5 musicians

TECHNICAL CREW

1 Tour Manager / Monitor engineer

1 F.O.H. sound engineer

1 Lighting designer

1 Backliner

1 Merchandising manager



HILIGHT TRIBE - TOUR REQUIREMENTS

TOURING

10 people on road

1 TourBus (14m X 2,55m X 4m) with trailer backline (3,10m X 2,40m X 2,40m)

Please provide a power supply for the truck as soon as it arrives (220v P17 16A mono or 32A tri)

MERCHANDISING

Please provide a lighted area with a large table, in the hall of the venue.

PURCHASER REPRESENTATIVE

An English or French speaking personal representative of the purchaser with decision-making power shall be present and available to assist the tour manager from the arrival to the departure of the band.

VISAS / WORKING PERMITS

The promoter will provide and pay for all visas, work permits, and other documents necessary for the band to undertake the engagement.

ACCOMMODATION (From band arrival to band departure)

In case of early arrival, 5 twins (day room use) at a minimum 3 Star hotel, close to the venue.

10 lunches + 10 dinners per day

GUESTLIST

The band shall be allowed to have a guest list of 10 people if desirable.

RECORDING

The promoter agrees that no part of the band's performance shall be broadcasted, filmed, videotaped, televised, photographed or otherwise reproduced in any manner, audio or visually without the express written consent of the band, which must be obtained at least 2 weeks prior the engagement.

INSURANCE

It is agreed that the promoter is responsible for all insurance in respect of equipment and personal accident, including loss, damage, medical expenses and public liability for the entire party throughout the entire period of engagement.

The Promoter agrees and accepts that they will indemnify the band and all representatives and employees against all claims relating to damage or personal injury unless said injury or damage was caused directly by the actions or negligence of the band, its representatives or employees.

The band shall have no liability if it is determined in good faith that the performance is (or is likely to be) rendered impossible, hazardous or is otherwise prevented or impaired due to inclement weather. In such event the Promoter shall remain liable for the full contracted fee.

PLEASE SEND TO PRODUCTION MANAGER DETAILS OF FLIGHTS AND ACCOMMODATION AS WELL AS COMPLETE TECHNICAL SPECIFICATIONS (SOUND, LIGHTS, BACKLINE) AND ITINERARY SHEET AT LEAST 1 MONTH BEFORE SHOW DAY

HILIGHT TRIBE - TECHNICAL SPECIFICATIONS

Hilight Tribe is a live music band that requires a concert set up (FOH and MON mixing desks and a light desk) to ensure a quality show.

Sound systems, lights and backline should be set up in working condition before the band arrives. FOH mixing desk and light desk have to be at the floor, secured and centred, facing the stage.

DJ SET :

In case of HLT member's DJ SET (in support of the band) - iROOTS, Sciencyfreaks, Greg Hilight, Ludo Ji, Thanks to provide a full standard DJ set-up :

- 1 riser, 1m x 0,50m (high 1m) + 1 230v Power outlet
- 2 X CD-J PIONEER 900 minimum
- 1 DJM PIONEER 900 NSX-2 minimum 900 (with USB cable)

STAGE

The stage shall have two sets of sturdy, solid, illuminated stairs (stage left and right). The stairs must be secured to the stage with banisters on both sides of each set. The stage must be covered on outdoor shows, including monitor mix area and front of house. The stage must be clean and clear of all stage props and obstacles on. Tour manager must have complete control over the stage and house lighting for the duration of the band's sound check and performance. The time and completion of the performance is to be decided with the said tour manager.

POWER

Must be stabilized at 220v / 50 cycles for all HILIGHT TRIBE backline. In case of local voltage at 110v, Promoter agrees to provide and pay for 7 transformers 110v / 220v / 16 amps (2 located at mixing desks and 5 on the stage), with 2 sets of 4 French plug each.

Sound and Light shall be connected to 2 different sources.

The PA should be isolated from all other sources. It must be completely grounded.

ALL AC MUST HAVE ZERO (0) POTENTIAL BETWEEN GROUND AND NEUTRAL.

COMMUNICATIONS

2 way communications between F.O.H. & monitor desk

PERSONNEL

- 1 backliner
- 1 electrician familiar with the venue's power supplies
- 3 qualified sound technicians, experienced with all aspects of the sound system, monitors and stage
- 1 qualified light technician, experienced with all aspects of lights system

BARRICADE

One sturdy professional quality barricade erected securely in front of the stage, the sound wings and around the FOH lighting and mixing desk position.

SECURITY

The promoter shall at his own expense employ an adequate number of security guards; they shall protect the band and its crew and their properties during and after the performance. Particularly, security must be provided in the areas of the dressing room and the stage. Security protection shall start upon the arrival of the band equipment at the venue.

BACKSTAGE ACCESS

NO person shall be allowed on stage or backstage unless his/her presence is essential to the performance and permission has been obtained from the band tour manager. Tour manager will brief security chief, and stage security on requirement before doors are to be opened.

PASSES

The promoter will issue all the necessary passes for all HILIGHT TRIBE production staff. 8 passes are required.

VENUE CAMERAS

The promoter further guarantees that all arrangements for filming are agreed with the tour manager prior to show day. Photographers are allowed to only photograph (without flash) from the pit.



HILIGHT TRIBE – SOUND & STAGE REQUIREMENTS

FRONT OF HOUSE

Professional FOH sound system (type D&B, L Acoustics) adapted to the venue, with Subwoofers (required) controlled from the FOH mixing desk. FOH mixing desk have to be at the floor, secured and centred, **facing the stage**.

1 professional digital mixing desk (Yamaha CL5, Rivage / Soundcraft VI / Midas / Digico / A&H D-Live)
1 EQ 2x31 bands Klark Teknik

In case of analog console:

10 channels of compression (Drawmer / Dbx)
3 channels of compression + gate (Drawmer / Dbx)
4 channels of gate (Drawmer)
4 effects units (Lexicon Pcm / Spx 990 / M-One / D-Two)

MONITORS – NO MONITOR DESK RISKS NO SHOW

1 40 channels active splitter – **No gain sharing with FOH desk**
1 professional digital mixing desk (Yamaha CL5, CL3, QL5, Rivage / Soundcraft VI / Midas / Digico / A&H D-Live) **on stage**
8 professional monitors, PFL included (115 HiQ / Max 15 / PMX15 / M15 / M4...) with adapted amplifiers
Provide 2 XLR lines (aux 6 & 9 outputs) for 2 wired IEM (supplied) for drummer and bass player
We bring 2 wireless IEM systems for aux. 7 & 8 outputs (Ludo & Roots)

STAGE

Drum Riser (3m x 2m x 0,4 m)
7 POWER SOCKETS 220 V / FRENCH PLUGS + 2 FRENCH PLUGS AT MIXING DESKS
Please refer to the input list (page 5) for the Mics Request, no adaptation without discussion

BACKDROP

1 backdrop 2m x 2m (provided by the band)



CERTIFICATE	
CENTEXBEL TYPE TESTING TEST REPORT N° 17.00647	
According to reports N° 17.00647.01 and 17.00647.02, dated on 16/02/2017, we confirm that the below mentioned items were tested at CENTEXBEL with reference to NF P 92-597 (2004) "Fire safety - Building - Interior fitting materials - Classification according to their reaction to fire".	
The items show	
Classification M1	
When properly applied.	
The evaluation of the burning behaviour is based on CENTEXBEL's evaluation scheme.	
SAMPLES	Advertising warp-knitted fabric AN/B/WPL D/OG Weight range from 95 g/m² (±5 g/m²) to 195 g/m² (±9 g/m²)
Company	Miranda sp z o o Jedwabnicza 1 PL-62700 TUREK POLAND
This Certificate is valid until 15/02/2022	
Centexbel Technologiepark 7 BE 3052 Gent Belgium, 9/03/2017	
Sjoen Devaere, PhD Director Services	

Certificate

INPUT LIST - HILIGHT TRIBE :

		DESIGNATION	MIC	INSERT	STAND
DRUM KIT	1	D-DRUM KICK	DI BSS AR133 PAD -20DB	COMP	
	2	D-DRUM SNARE	DI BSS AR133 PAD -20DB	COMP	
	3	HH	AKG C451 /535		MEDIUM
	4	RACK TOM 1	E604	GATE	CLAMP
	5	RACK TOM 2	E604	GATE	CLAMP
	6	FLOOR TOM	E604	GATE	CLAMP
	7	OH 1	KM184 / SM81		TALL
	8	OH 2	KM184 / SM81		TALL
	9	D-DRUM FX 1	DI BSS AR133 PAD -20DB		
	10	D-DRUM FX 2	DI BSS AR133 PAD -20DB		
	11	D-DRUM FX 3	DI BSS AR133 PAD -20DB		
	12	D-DRUM FX 4	DI BSS AR133 PAD -20DB		
GUITAR	13	DJEMBE/SNARE/TOMS	2 x E604	COMP	MEDIUM + CLAMP
	14	TAMBOUR H.F.	MICRO H.F. FOURNI		
	15	FLYING CONGA	E604		CLAMP
	16	TÉRÉMIN	DI PASSIVE FOURNIE	COMP	HEAVY W. NO BOOM
	17	GUITAR DI	DI BSS AR133 PAD -20DB	COMP	
	18	GUITAR AMP	E609		
	19	DIDGERIDOO / KAOSS PAD	DI BSS AR133 (NO PAD)	COMP	
	20				
	21	GTR VOX	SM58 + 2 XLR (3M)	COMP	TALL
BASS	22	BASS DI	DI BSS AR133 PAD (NO PAD)	COMP	
PERC. 1	23	PERC VOX	2 XLR (3M)	COMP	TALL
	24	PERC VOX FX	BÉTA57A + 2 XLR (3M)	COMP	TALL (x2)
	25	DJEMBE (LEAD)	E604 (NO CLAMP)	COMP	MEDIUM
	26	DJEMBE FX	2 XLR (3M)		
	27	BOOGARABOO	MD421		TALL
	28	DARBOOKA	SM58	COMP	TALL
	29	TIMBALES / TABLAS	SM57		TALL
	30				
	31				
	32	GUITAR SYNTH	DI BSS AR133 PAD -20DB		
PERC. 2	33	DARBOOKA	SM58	COMP	TALL
	34	CONGA	BETA98 AD/C+ A98D		CLAMP AD/C
	35	QUINTO	BETA98 AD/C+ A98D		CLAMP AD/C
	36	TUMBA	SM57		TALL
	37	PERCUS FX L	DI BSS AR133 PAD (NO PAD)		TALL
	38	PERCUS FX R	DI BSS AR133 PAD (NO PAD)		
	39	BONGOS	SM57		TALL
	40	HARMONICA	SM58	COMP	TALL

STAGE PLOT - HILIGHT TRIBE :

<p>SEB DRUM KIT 1 - 12 2 m x 3 m RISER DIDG.</p> <p>RISHNU BASS 22 230 V</p> <p>LUDO DJEMBE (Lead) BOOGA. DARB. TIMBAL.</p> <p>GREG DJEMBE GREG 230 V</p> <p>ROOTS CONGAS BONGOS 230 V</p> <p>RYTHM PERC. KIT 33 - 40</p> <p>VOX/LEAD PERC. KIT 23-32</p> <p>GTR / DIDG / VOX 13 - 21</p> <p>HILIGHT TRIBE</p>			
01.KICK - DI BSS 02.SNARE - DI BSS 03.HI HAT - C451/ 535 04.RACK TOM 1 - e604 05.RACK TOM 2 - e604 06.FLOOR TOM - e604 07.OH 1 - KM184 / SM81 08.OH 2 - KM184 / SM81	09.DDRUM 1 - DI BSS 10.DDRUM 2 - DI BSS 11.DDRUM 3 - DI BSS 12.DDRUM 4 - DI BSS 13.DJEMB/SN/TOMS - 2xe604 14.TAMB H.F. (provided) 15.CONGA - e604 16.THEREMIN - XLR	17.GTR DI - DI BSS 18.GTR AMP - e609 19.DIDGERIDOO/KAOSS - XLR 20. 21.GTR VOX - SM58 22.BASS DI - DI BSS 23.PERC VOX - (provided) 24.PERC VOX FX - BETA57a	25.DJMBE (LEAD) - e604 26.DJMBE FX - 2 XLR 27.BOOGARABOO - MD421 28.DARBUKA - SM58 29.TIMBALES/TABLAS - SM57 30. 31. 32.GUIT SYNTH - DI BSS
33.DARBUKA - SM58 34.CONGA - BETA 98 35.QUINTO - BETA 98 36.TUMBA - SM57 37.PERC FX L - DI BSS 38.PERC FX R - DI BSS 39.BONGOS - SM57 40.HARMONICA - SM58			

LIGHT REQUIREMENTS– HILIGHT TRIBE :

CONTROL DESKS

1 Full Grand MA 2 or Grand Ma 3 (or Light + Fader wing)


Lighting desk must be at the floor, secured and centred, **facing the stage**

Grill Iso Hilight Tribe 2022

Light Design by "Aurel"

+33 614 554 756

a_escuriol@yahoo.fr




Grill Hilight Tribe 2022

Light Design by "Aurel"

+33 614 554 756

a_escuriol@yahoo.fr



Pupitre à fournir:


Grand MA2 ou MA3 version Light Minimum.


Sol Iso Hilight Tribe 2022



Light Design by "Aurel"

+33 614 554 756

a_escuriol@yahoo.fr





Symbol	Name	Count
	Rush PAR 2 RGBW Zoom	6
	Molefay Four Light	2

HILIGHT TRIBE – HOSPITALITY

DRESSING ROOM

A lockable, quiet and comfortable room exclusively reserved for Hilight Tribe.

CATERING

A cold vegetarian catering (bread / butter / cheese / vegetables)	3 large bottles of still water
1 tray of organics fresh and dry fruits	2 sugarfree Reb Bull
1 bottle of red wine	3 large soda bottles fresh (Coca + Coca Zero + Ice tea)
Coffee / tea	2 litres of Coconut Water
6 cooled Corona	6 cooled local beer
2 bottles of organic fruit juice (Orange + Apple)	6 cooled 1664
	2 litres of plant Milk

MEALS

Important: 6 crew members are vegetarians and do not eat egg neither fish (dairy required).

10 qualitative, balanced, hot and complete meals (starter, hot dish, dessert) :

10 meals 2 hours minimum before the performance (including the 6 vegetarians)

TOUR BUS PACK

Thanks to provide 10 sandwiches after the performance (including 6 vegetarians without eggs)
Still and sparkling water
6 local beer
Coca zero + organic fresh juice
Assortment of cookies
...

STAGE

12 small bottles of wate, **3 Gatorade or Powerade (not Redbull)**
and 6 clean **black towels (medium size)**